# Plant Ecology

**An international journal**

## Contents of Volume 140

Obituary
T. Hirose 1–2

Xylem acoustic emissions and water relations of *Calluna vulgaris* L. at two climatological regions of Britain
G.E. Jackson, J. Irvine & J. Grace 3–14

Effects of long-term fire exclusion on tree species composition and stand structure in an old-growth *Pinus palustris* (Longleaf pine) forest
F.S. Gilliam & W.J. Platt 15–26

Mediterranean vegetation dynamics: modelling problems and functional types
J.G. Pausas 27–39

Redox potentials in relation to water levels in different mire types in the Netherlands and Poland
H. de Mars & M.J. Wassen 41–51

Effects of sand burial depth on seed germination and seedling emergence of *Cirsium pitcheri*
H. Chen & M.A. Maun 53–60

The steppes of Tierra del Fuego: floristic and growthform patterns controlled by soil fertility and moisture
M.B. Collantes, J. Anchorena & A.M. Cingolani 61–75

Effect of grazing on the vegetation of shore meadows along the Bothnian Sea, Finland
H. Jutila 77–88

Seedling success of *Tsuga sieboldii* along a microtopographic gradient in a mixed cool-temperate forest in Japan
N. Yoshida & M. Ohsawa 89–98

Riparian disturbance and community structure of a *Quercus-Ulmus* forest in central Japan
T. Sakai, H. Tanaka, M. Shibata, W. Suzuki, H. Nomiya, T. Kanazashi, S. Iida & T. Nakashizuka 99–109

Long-lived light-demanding emergents in southern temperate forests: the case of *Weinmannia trichosperma* (Cunoniaceae) in Chile
C.H. Lusk 111–115

Developing tests of successional hypotheses with size-structured populations, and an assessment using long-term data from a Ugandan rain forest
D. Sheil 117–127

Geographical variation in the early regeneration process of Siebold's Beech (*Fagus crenata* BLUME) in Japan
K. Homma et al. 129–138

Structure, composition and species diversity in an altitude-substrate matrix of rain forest tree communities on Mount Kinabalu, Borneo
S. Aiba & K. Kitayama 139–157

Effects of competition, litter, and disturbance on an annual carnivorous plant (*Utricularia juncea*)
J.S. Brewer 159–165

Canopy gap formation and replacement pattern of major tree species among developmental stages of beech (*Fagus crenata*) stands, Japan
S. Yamamoto & N. Nishimura 167–176

Changes along a disturbance gradient in the density and composition of propagule banks in floodplain aquatic habitats
V.J. Abernethy & N.J. Willby 177–190

Use of bryological communities as a diagnostic tool of heavy metal soil contamination (Cd, Pb, Zn) in northern France
F.-O. Denayer, C. Van Haluwyn, B. de Foucault, R. Schumacker & P. Colein 191–201

Beech forest communities in the Nordic countries – a multivariate analysis
M. Diekmann, O. Eilertsen, E. Fremstad, J.E. Lawesson & E. Aude 203–220

The phytogeographical significance of S.W. Morocco compared to the Canary Islands
F. Médail & P. Quézel 221–244

Growth pattern of *Picea rubens* prior to canopy recruitment
X. Wu, J.F. McCormick & R.T. Busing 245–253

Instructions to authors 255–258

Contents volume 140 / List of contributors 259–260

## List of Contributors

Abernethy, V.J., 177
Aiba, S., 139
Anchorena, J., 61
Aude, E., 203
Brewer, J.S., 159
Busing, R.T., 245
Chen, H., 53
Cingolani, A.M., 61
Colein, P., 191
Collantes, M.B., 61
de Foucault, B., 191
Denayer, F.-O., 191
Diekmann, M., 203
Eilertsen, O., 203
Fremstad, E., 203
Gilliam, F.S., 15
Grace, J., 3
Hirose, T., 1
Homma, K. et al., 129
Iida, S., 99
Irvine, J., 3
Jackson, G.E., 3
Jutila, H., 77
Kanazashi, T., 99
Kitayama, K., 139
Lawesson, J.E., 203
Lusk, C.H., 111
Mars, H. de, 41
Maun, M.A., 53
McCormick, J.F., 245
Médail, F., 221
Nakashizuka, T., 99
Nishimura, N., 167
Nomiya, H., 99
Ohsawa, M., 89
Pausas, J.G., 27
Platt, W.J., 15
Quézel, P., 221
Sakai, T., 99
Schumacker, R., 191
Sheil, D., 117
Shibata, M., 99
Suzuki, W., 99
Tanaka, H., 99
Van Haluwyn, C., 191
Wassen, M.J., 41
Willby, N.J., 177
Wu, X., 245
Yamamoto, S., 167
Yoshida, N., 89